

predator assignments_ftdrm

144. Y
 200. USAF
 202. ANG
 204. ANG
 205. 174FW
 206. HANCOCK
 207. 174FW
 300. NY
 301. FT DRUM
 303. 440358N0754227W
 340. C,SRM1234211-SA-N
 343. J/F 12/07253
 354. PARABOLIC
 357. 35
 358. 240
 359. 30
 362. T
 363. V
 373. A
 400. NY
 401. FT DRUM
 403. 440358N0754227W
 406. 42
 440. C,SRM1235110N
 443. J/F 12/07253
 454. PARABOLIC
 457. 15
 462. T
 463. V
 473. A
 500. S189
 500/02. S144
 500/03. P032
 501. M008,FAA
 501/02. M014,0300,AGL
 501/03. M015,IRAC-32666/2,SPS-13432/2
 503. IRAC APPROVED PREDATOR FOR FT DRUM
 503/02. 20110517, SPS/3 WILL BE APPROVED
 503/03. WITHIN 6 NEXT MONTHS WITH PERM.
 503/04. PROPOSALS TO FOLLOW.
 511. AIR OPERATIONS
 512. UAV
 520. VIDEO AND TELEMETRY UPLINK FROM GROUND STATION TO UAV. MULTIPLE GROUND,
 520. AIRCRAFT ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD
 520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
 520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
 520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
 520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
 520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
 520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
 520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
 520. KEPT CURRENT FOR CONTINUED OPERATIONS IN THE WHEELER SACK AAF CLASS D
 520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
 520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
 520. STOP BUZZER POC IS (b) (6)
 701. T02
 702. ANG 2011-118
 803. (b) (6)
 911. 20110603
 924. FRRS
 927. 20110603
 928. 20110516
 956. MJG

predator assignments_ftdrm

005. UE
 010. N
 102. AF 114246
 103. J0741410
 107. 20110602
 110. M5705
 113. FAD
 114. 560K00F1D
 115. W10
 117. 75
 118. E
 130. 3
 141. 20111231
 143. 20110602
 144. Y
 200. USAF
 202. ANG
 204. ANG
 205. 174FW
 206. HANCOCK
 207. 174FW
 300. NY
 301. FT DRUM
 303. 440358N0754227W
 340. C,SRM1234211-SA-N
 343. J/F 12/07253
 354. PARABOLIC
 357. 35
 358. 240
 359. 30
 362. T
 363. V
 373. A
 400. NY
 401. FT DRUM
 403. 440358N0754227W
 406. 42
 440. C,SRM1235110N
 443. J/F 12/07253
 454. PARABOLIC
 457. 15
 462. T
 463. V
 473. A
 500. S189
 500/02. S144
 500/03. P032
 501. M008,FAA
 501/02. M014,0300,AGL
 501/03. M015,IRAC-32666/2,SPS-13432/2
 503. IRAC APPROVED PREDATOR FOR FT DRUM
 503/02. 20110517, SPS/3 WILL BE APPROVED
 503/03. WITHIN 6 NEXT MONTHS WITH PERM.
 503/04. PROPOSALS TO FOLLOW.
 511. AIR OPERATIONS
 512. UAV
 520. VIDEO AND TELEMETRY UPLINK FROM GROUND STATION TO UAV. MULTIPLE GROUND,
 520. AIRCRAFT ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD
 520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
 520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
 520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
 520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
 520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A

predator assignments_ftdrm

520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
520. KEPT CURRENT FOR CONTINUED OPERATIONS IN THE WHEELER SACK AAF CLASS D
520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
520. STOP BUZZER POC IS (b) (6)
701. T02
702. ANG 2011-118
803. (b) (6)
911. 20110603
924. FRRS
927. 20110603
928. 20110516
956. MJG
005. UE
010. N
102. AF 114248
103. J0741411
107. 20110602
110. M5720
113. FAD
114. 560K00F1D
115. W10
117. 75
118. E
130. 3
141. 20111231
143. 20110602
144. Y
200. USAF
202. ANG
204. ANG
205. 174FW
206. HANCOCK
207. 174FW
300. NY
301. FT DRUM
303. 440358N0754227W
340. C,SRM1234211-SA-N
343. J/F 12/07253
354. PARABOLIC
357. 35
358. 240
359. 30
362. T
363. V
373. A
400. NY
401. FT DRUM
403. 440358N0754227W
406. 42
440. C,SRM1235110N
443. J/F 12/07253
454. PARABOLIC
457. 15
462. T
463. V
473. A
500. S189
500/02. S144
500/03. P032
501. M008,FAA
501/02. M014,0300,AGL

predator assignments_ftdrum

501/03. M015,IRAC-32666/2,SPS-13432/2
503. IRAC APPROVED PREDATOR FOR FT DRUM
503/02. 20110517, SPS/3 WILL BE APPROVED
503/03. WITHIN 6 NEXT MONTHS WITH PERM.
503/04. PROPOSALS TO FOLLOW.
511. AIR OPERATIONS
512. UAV
520. VIDEO AND TELEMETRY UPLINK FROM GROUND STATION TO UAV. MULTIPLE GROUND,
520. AIRCRAFT ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD
520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
520. KEPT CURRENT FOR CONTINUED OPERATIONS IN THE WHEELER SACK AAF CLASS D
520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
520. STOP BUZZER POC IS (b) (6)
701. T02
702. ANG 2011-118
803. (b) (6)
911. 20110603
924. FRRS
927. 20110603
928. 20110516
956. MJG
005. UE
010. N
102. AF 114250
103. J0741412
107. 20110602
110. M5730
113. FAD
114. 560K00F1D
115. W10
117. 75
118. E
130. 3
141. 20111231
143. 20110602
144. Y
200. USAF
202. ANG
204. ANG
205. 174FW
206. HANCOCK
207. 174FW
300. NY
301. FT DRUM
303. 440358N0754227W
340. C,SRM1234211-SA-N
343. J/F 12/07253
354. PARABOLIC
357. 35
358. 240
359. 30
362. T
363. V
373. A
400. NY
401. FT DRUM

predator assignments_ftdrm

403. 440358N0754227W
406. 42
440. C,SRM1235110N
443. J/F 12/07253
454. PARABOLIC
457. 15
462. T
463. V
473. A
500. S189
500/02. S144
500/03. P032
501. M008,FAA
501/02. M014,0300,AGL
501/03. M015,IRAC-32666/2,SPS-13432/2
503. IRAC APPROVED PREDATOR FOR FT DRUM
503/02. 20110517, SPS/3 WILL BE APPROVED
503/03. WITHIN 6 NEXT MONTHS WITH PERM.
503/04. PROPOSALS TO FOLLOW.
511. AIR OPERATIONS
512. UAV
520. VIDEO AND TELEMETRY UPLINK FROM GROUND STATION TO UAV. MULTIPLE GROUND,
520. AIRCRAFT ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD
520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
520. KEPT CURRENT FOR CONTINUED OPERATIONS IN THE WHEELER SACK AAF CLASS D
520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
520. STOP BUZZER POC IS (b) (6)
701. T02
702. ANG 2011-118
803. (b) (6)
911. 20110603
924. FRRS
927. 20110603
928. 20110516
956. MJG
005. UE
010. N
102. AF 114252
103. J0741413
107. 20110602
110. M5740
113. FAD
114. 560K00F1D
115. W10
117. 75
118. E
130. 3
141. 20111231
143. 20110602
144. Y
200. USAF
202. ANG
204. ANG
205. 174FW
206. HANCOCK
207. 174FW

predator assignments_ftdrm

300. NY
 301. FT DRUM
 303. 440358N0754227W
 340. C,SRM1234211-SA-N
 343. J/F 12/07253
 354. PARABOLIC
 357. 35
 358. 240
 359. 30
 362. T
 363. V
 373. A
 400. NY
 401. FT DRUM
 403. 440358N0754227W
 406. 42
 440. C,SRM1235110N
 443. J/F 12/07253
 454. PARABOLIC
 457. 15
 462. T
 463. V
 473. A
 500. S189
 500/02. S144
 500/03. P032
 501. M008,FAA
 501/02. M014,0300,AGL
 501/03. M015,IRAC-32666/2,SPS-13432/2
 503. IRAC APPROVED PREDATOR FOR FT DRUM
 503/02. 20110517, SPS/3 WILL BE APPROVED
 503/03. WITHIN 6 NEXT MONTHS WITH PERM.
 503/04. PROPOSALS TO FOLLOW.
 511. AIR OPERATIONS
 512. UAV
 520. VIDEO AND TELEMETRY UPLINK FROM GROUND STATION TO UAV. MULTIPLE GROUND,
 520. AIRCRAFT ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD
 520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
 520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
 520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
 520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
 520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
 520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
 520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
 520. KEPT CURRENT FOR CONTUNED OPERATIONS IN THE WHEELER SACK AAF CLASS D
 520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
 520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
 520. STOP BUZZER POC IS (b) (6)
 701. T02
 702. ANG 2011-118
 803. (b) (6)
 911. 20110603
 924. FRRS
 927. 20110603
 928. 20110516
 956. MJG
 005. UE
 010. N
 102. AF 114254
 103. J0741414
 107. 20110602
 110. M5775
 113. FAD

predator assignments_ftdrm

114. 560K00F1D
 115. W10
 117. 75
 118. E
 130. 3
 141. 20111231
 143. 20110602
 144. Y
 200. USAF
 202. ANG
 204. ANG
 205. 174FW
 206. HANCOCK
 207. 174FW
 300. NY
 301. FT DRUM
 303. 440358N0754227W
 340. C,SRM1234211-SA-N
 343. J/F 12/07253
 354. PARABOLIC
 357. 35
 358. 240
 359. 30
 362. T
 363. V
 373. A
 400. NY
 401. FT DRUM
 403. 440358N0754227W
 406. 42
 440. C,SRM1235110N
 443. J/F 12/07253
 454. PARABOLIC
 457. 15
 462. T
 463. V
 473. A
 500. S189
 500/02. S144
 500/03. P032
 501. M008,FAA
 501/02. M014,0300,AGL
 501/03. M015,IRAC-32666/2,SPS-13432/2
 503. IRAC APPROVED PREDATOR FOR FT DRUM
 503/02. 20110517, SPS/3 WILL BE APPROVED
 503/03. WITHIN 6 NEXT MONTHS WITH PERM.
 503/04. PROPOSALS TO FOLLOW.
 511. AIR OPERATIONS
 512. UAV
 520. VIDEO AND TELEMETRY UPLINK FROM GROUND STATION TO UAV. MULTIPLE GROUND,
 520. AIRCRAFT ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD
 520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
 520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
 520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
 520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
 520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
 520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
 520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
 520. KEPT CURRENT FOR CONTUNTED OPERATIONS IN THE WHEELER SACK AAF CLASS D
 520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
 520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
 520. STOP BUZZER POC IS (b) (6)
 701. T02

predator assignments_ftdrm

702. ANG 2011-118
 803. (b) (6)
 911. 20110603
 924. FRRS
 927. 20110603
 928. 20110516
 956. MJG
 005. UE
 010. N
 102. AF 114256
 103. J0741415
 107. 20110602
 110. M5800
 113. FAD
 114. 560K00F1D
 115. W10
 117. 75
 118. E
 130. 3
 141. 20111231
 143. 20110602
 144. Y
 200. USAF
 202. ANG
 204. ANG
 205. 174FW
 206. HANCOCK
 207. 174FW
 300. NY
 301. FT DRUM
 303. 440358N0754227W
 340. C, SRM1234211-SA-N
 343. J/F 12/07253
 354. PARABOLIC
 357. 35
 358. 240
 359. 30
 362. T
 363. V
 373. A
 400. NY
 401. FT DRUM
 403. 440358N0754227W
 406. 42
 440. C, SRM1235110N
 443. J/F 12/07253
 454. PARABOLIC
 457. 15
 462. T
 463. V
 473. A
 500. S189
 500/02. S144
 500/03. P032
 501. M008, FAA
 501/02. M014, 0300, AGL
 501/03. M015, IRAC-32666/2, SPS-13432/2
 503. IRAC APPROVED PREDATOR FOR FT DRUM
 503/02. 20110517, SPS/3 WILL BE APPROVED
 503/03. WITHIN 6 NEXT MONTHS WITH PERM.
 503/04. PROPOSALS TO FOLLOW.
 511. AIR OPERATIONS
 512. UAV

predator assignments_ftdrm

520. VIDEO AND TELEMETRY UPLINK FROM GROUND STATION TO UAV. MULTIPLE GROUND,
 520. AIRCRAFT ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD
 520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
 520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
 520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
 520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
 520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
 520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
 520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
 520. KEPT CURRENT FOR CONTINUED OPERATIONS IN THE WHEELER SACK AAF CLASS D
 520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
 520. USER MUST NOTIFY FT DRUM ISM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
 520. STOP BUZZER POC IS (b) (6)
 701. T02
 702. ANG 2011-118
 803. (b) (6)
 911. 20110603
 924. FRRS
 927. 20110603
 928. 20110516
 956. MJG
 005. UE
 010. N
 102. AF 114258
 103. J0741416
 107. 20110602
 110. M5850
 113. FAD
 114. 560K00F1D
 115. W10
 117. 75
 118. E
 130. 3
 141. 20111231
 143. 20110602
 144. Y
 200. USAF
 202. ANG
 204. ANG
 205. 174FW
 206. HANCOCK
 207. 174FW
 300. NY
 301. FT DRUM
 303. 440358N0754227W
 340. C,SRM1234211-SA-N
 343. J/F 12/07253
 354. PARABOLIC
 357. 35
 358. 240
 359. 30
 362. T
 363. V
 373. A
 400. NY
 401. FT DRUM
 403. 440358N0754227W
 406. 42
 440. C,SRM1235110N
 443. J/F 12/07253
 454. PARABOLIC
 457. 15
 462. T

predator assignments_ftdrm

463. V
473. A
500. S189
500/02. S144
500/03. P032
501. M008,FAA
501/02. M014,0300,AGL
501/03. M015,IRAC-32666/2,SPS-13432/2
503. IRAC APPROVED PREDATOR FOR FT DRUM
503/02. 20110517, SPS/3 WILL BE APPROVED
503/03. WITHIN 6 NEXT MONTHS WITH PERM.
503/04. PROPOSALS TO FOLLOW.
511. AIR OPERATIONS
512. UAV
520. VIDEO AND TELEMETRY UPLINK FROM GROUND STATION TO UAV. MULTIPLE GROUND,
520. AIRCRAFT ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD
520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
520. KEPT CURRENT FOR CONTINUED OPERATIONS IN THE WHEELER SACK AAF CLASS D
520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
520. STOP BUZZER POC IS (b) (6)
701. T02
702. ANG 2011-118
803. (b) (6)
911. 20110603
924. FRRS
927. 20110603
928. 20110516
956. MJG